



GE Zoneline Heat Pump, Single Package Vertical Air Conditioner, 230-208 Volt Model# AZ9VH12DAC



- Insta-Platform™ - Eliminates the need for on-site customized platform construction saving time and money
- Self-Contained Drainage System - Easy installation allows for simple chassis removal while leaving plumbing completely intact
- Fast-Connect Plumbing - Allows preliminary plumbing to be installed outside the closet and prior to installing the chassis
- Self-Aligning Lock-in-Place System - The Insta-Platform and the VTAC are self-aligning with a lock-in-place system ensuring the unit is engaging with the plenum gasket
- Quick-Install Plenum - Plenum is easily installed from the interior of building, without the need for exterior building access. Caulking is required. It conveniently expands from 8" to 15" for a custom fit
- Onboard Diagnostics - Electronic controls give clear and fast diagnostics data and fault codes, for fast and easy resolution
- SmartHQ™ WiFi capability - Optional SmartHQ module* gives property managers the ability to monitor multiple units remotely, enhancing guests' experience. Learn more at smarthqsolutions.com/management (*SmartHQ module part number PBX23W00Y0 or PBX23W00Y1.)
- Ultra-Quiet - Delivers quiet cooling power with a smooth sound for a good night's sleep
- Reverse Cycle Defrost - The variable speed compressor and advanced defrost capability allow for the best heat pump operation down to 0° F

FEATURES

SEER2	15.9
Fan Speed Selections	2 Cooling
Sensible Heat Ratio	0.75
Product Type	Vertical Air Conditioners
Refrigerant Type	R410A
Remote Thermostat	RAK190V
HSPF2 Rating	7.5
Heat Sentinel	Yes
VTAC Features	Corrosion Protection Fast-Connect Plumbing Insta-Platform™ Inverter Technology Onboard Diagnostics Quick-Install Plenum Reverse Cycle Defrost Self-Aligning Lock in place system Self-Contained drainage system SmartHQ™ Wifi Capability Ultra-Quiet
Heat Pump	Yes
Power Connection Kit	RAK3XXD Series
Freeze Sentinel	Yes
Corrosion Treated	Yes
Central Desk Control Compatibility	Yes
Rotary Compressor	Yes
Heating - Reverse Cycle - COP	3.5
Heating System	Heat Pump

- Anti-Corrosion Design/Premium Guard Seacoast Protection - Exclusive rust-proof basepan and bulkhead provide another level of corrosion protection to ensure lasting performance in challenging environments
- Inverter Technology - Variable speed operation provides an advantage with shorter recovery time, improved efficiency, sound quality and dehumidification. Consistent room temperature allows for total room comfort
- Designed & Assembled in America

Have more questions? Please contact 1-800-626-2000



GE Zoneline Heat Pump, Single Package Vertical Air Conditioner, 230-208 Volt

Model# AZ9VH12DAC

APPROXIMATE DIMENSIONS(HxDxW)

- 31.875H x 23.625W x 24.125D

CAPACITY

- Cooling BTUH (MAX) - 16200.00Btu
- CFM Indoor Fan Low - 380
- CFM Indoor Fan High - 465
- Heating - Reverse Cycle - BTUH - 11500
- Dehumidification (pts./hr.) - 3.16
- Cooling EER2 (BTUH / Watt) - 12
- Cooling BTUH (MIN) - 5200Btu

APPEARANCE

- Color Appearance - Gray

WEIGHTS & DIMENSIONS

- Overall Width (in) - 23 5/8in
- Approximate Shipping Weight (lb) - 137lb
- Overall Height (in) - 31 7/8in
- Overall Depth (in) - 24 1/8in
- Net Weight (lb) - 125lb

POWER / RATINGS

- Heating - Reverse Cycle - Watts - Yes
- Cooling - Amperes - 4.7
- Cooling - Watts - 970
- Heating - Reverse Cycle - Amps - 4.4
- Voltage (MAX) - 230.000000V

ACCESSORIES

- Accessories Required for Installation - Outdoor Grille - RAVAL3
Plenum - RAVWPT9 or RAVWPT15
RAK3XXD Series
RAVDPLAT

WARRANTY

- Warranty Notes - See written warranty for full details
- Labor Warranty - Limited 1-year warranty
Limited 5-Year Warranty, Sealed Refrigerating System
- Parts Warranty - Limited 2-5 Year Warranty

CERTIFICATIONS

- Claims & Certifications - California Prop 65