

GE Zoneline Heat Pump, Single Package Vertical Air Conditioner, 265 Volt Model# AZ9VH12EAC



- Insta-PlatformTM Eliminates the need for on-site customized platform construction saving time and money
- Self-Contained Drainage System Easy installation allows for simple chassis removal while leaving plumbing completely intact
- Fast-Connect Plumbing Allows preliminary plumbing to be installed outside the closet and prior to installing the chassis
- Self-Aligning Lock-in-Place System The Insta-Platform and the VTAC are self-aligning with a lock-in-place system ensuring the unit is engaging with the plenum gasket
- Quick-Install Plenum Plenum is easily installed from the interior of building, without the need for exterior building access. Caulking is required. It conveniently expands from 8" to 15" for a custom fit
- Onboard Diagnostics Electronic controls give clear and fast diagnostics data and fault codes, for fast and easy resolution
- SmartHQ™ WiFi capability Optional SmartHQ module* gives property managers the ability to monitor multiple units remotely, enhancing guests' experience. Learn more at smarthqsolutions.com/management (*SmartHQ module part number PBX23W00Y0 or PBX23W00Y1.)
- Ultra-Quiet Delivers quiet cooling power with a smooth sound for a good night's sleep
- Reverse Cycle Defrost The variable speed compressor and advanced defrost capability allow for the best heat pump operation down to 0° F

FEATURES	
SEER2	15.5
Fan Speed Selections	2 Cooling
Sensible Heat Ratio	0.77
Product Type	Vertical Air Conditioners
Refrigerant Type	R410A
Remote Thermostat	RAK190V
HSPF2 Rating	7.5
Heat Sentinel	Yes
VTAC Features	Corrosion Protection Fast-Connect Plumbing Insta-Platform™ Inverter Technology Onboard Diagnostics Quick-Install Plenum Reverse Cycle Defrost Self-Aligning Lock in place system Self-Contained drainage system SmartHQ™ WIfl Capability Ultra-Quiet
Heat Pump	Yes
Power Connection Kit	RAK5XXD Series
Freeze Sentinel	Yes
Corrosion Treated	Yes
Central Desk Control Compatibility	Yes
Rotary Compressor	Yes
Heating - Reverse Cycle - COP	3.4
Heating System	Heat Pump

- Anti-Corrosion Design/Premium Guard Seacoast Protection - Exclusive rust-proof basepan and bulkhead provide another level of corrosion protection to ensure lasting performance in challenging environments
- Inverter Technology Variable speed operation provides an advantage with shorter recovery time, improved efficiency, sound quality and dehumidification. Consistent room temperature allows for total room comfort
- Designed & Assembled in America

Have more questions? Please contact 1-800-626-2000



GE Zoneline Heat Pump, Single Package Vertical Air Conditioner, 265 Volt Model# AZ9VH12EAC

APPROXIMATE DIMENSIONS(HxDxW)

31.875H x 23.625W x 24.125D

CAPACITY

- Cooling BTUH (MAX) 16200.00Btu
- CFM Indoor Fan Low 380
- CFM Indoor Fan High 465
- Heating Reverse Cycle BTUH 10800
- Dehumidification (pts./hr.) 3.16
- Cooling EER2 (BTUH / Watt) 11.6
- Cooling BTUH (MIN) 5200Btu

APPEARANCE

Color Appearance - Gray

WEIGHTS & DIMENSIONS

- Overall Width (in) 23 5/8in
- Approximate Shipping Weight (lb) 137lb
- Overall Height (in) 31 7/8in
- Overall Depth (in) 24 1/8in
- Net Weight (lb) 125lb

POWER / RATINGS

- Heating Reverse Cycle Watts Yes
- Cooling Amperes 4.2
- Cooling Watts 1050
- Heating Reverse Cycle Amps 3.8
- Voltage (MAX) 265.000000V

ACCESSORIES

 Accessories Required for Installation - Outdoor Grille -RAVAL3
 Plenum - RAVWPT9 or RAVWPT15
 RAK5XXD Series
 RAVDPLAT

WARRANTY

- Warranty Notes See written warranty for full details
- Labor Warranty Limited 1-year warranty
 Limited 5-Year Warranty, Sealed Refrigerating System
- Parts Warranty Limited 2-5 Year Warranty

CERTIFICATIONS

• Claims & Certifications - California Prop 65